


FIG. 1










FIG. 5




FIG. 6

INPUT INFORMATION	SOURCE
·	RESOLUTION
	YCC, COLORS
	FRAME RATE
OUTPUT INFORMATION	RESOLUTION
	XY POSITION
	Z POSITION
TIME INFORMATION	START TIME
	STOP TIME

PROGRAM ID	JSBSN0112240900
TITLE	NEWS 090
GENRE	NEWS
TIME	157 MINUTES
CAST	AYIUYI BUEUM
DETAILES INFORMATION	
TRANSFER SYSTEM	MACRO WAVE
TRANSFER MODE TABLE	

	IN STANDARD		0.48 0.60	0.96 1.20	1.92 2.40	2.08 2.60	3.76 4.70	6.24 7.80	9.60 12.00	15.04 18.80	I INIT. WEST
30Hz	WEIGHTED IN RESOLUTION	ح	0.	0.	<del></del>	2.					
	WEIGHTED IN MOVEMENT	6	0.43	0.86	1.73	1.87	3.38	5.62	8.64	13.54	
	STANDARD	<b>-</b>	0.40	0.80	1.60	1.73	3.13	5.20	8.00	12.54	
20Hz	WEIGHTED IN RESOLUTION	Э	0.31	0.62	1.25	1.35	2.45	4.06	6.24	9.78	
	WEIGHTED IN MOVEMENT	σ	0:30	09.0	1.20	1.30	2.35	3.90	6.00	9.40	
	STANDARD	ပ	0.20	0.40	0.80	0.87	1.57	2.60	4.00	6.27	
10Hz	WEIGHTED IN RESOLUTION	q	0.16	0.32	0.64	69:0	1.25	2.08	3.20	5.01	
	WEIGHTED IN WEIGHTED MOVEMENT	а	0.16	0.32	0.64	0.69	1.25	2.08	3.20	5.01	
FRAME RATE	>		240×180		_		640×480	009×008	_		
FRAI	IMAGI		-	_ ~			VOITU			∞	•
L		Ш									

UNIT: Mbps

OPERATION	EXECUTION			
OPERATION CONTENTS	DISPLAY URL IN TWIN VIEWS			
STREAM URL	http://www.sbs.co.jp/news0900/ieie.rum/			
SERVER	http://www.sbs.co.jp			
TIME OF START DISPLAY	tDS1			
DISPLAY POSITION	RIGHT AND LOWER			
DISPLAY SIZE RATIO	0.25 OR MORE SMALLER			
RESOLUTION	240×180 OR MORE			
FRAME RATE	30P, 60I			

OPERATION	EXECUTION
OPERATION CONTENTS	DISPLAY URL IN TWIN VIEWS AND SWITCH EVENT 1
STREAM URL	http://www.sbs.co.jp/news0900/ieie.rum/
SERVER URL	http://www.sbs.co.jp
TIME OF STARTING DISPLAY	tDS2
DISPLAY POSITION	RIGHT
DISPLAY SIZE RATIO	4.0 OR MORE SMALLER
RESOLUTION	640×480 OR MORE
FRAME RATE	30P, 60I

FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15








FIG. 17	20H2
F	101-

			13 / 3	31					
	STANDARD		0.60	1.20	2.40	2.60	4.70	7.80	12.00
30Hz	WEIGHTED IN RESOLUTION	h	0.48	0.96	1.92	2.08	3.76	6.24	9.60
	WEIGHTED IN MOVEMENT	g	0.43	0.86	1.73	1.87	3.38	5.62	8.64
	STANDARD	•	0.40	0.80	1.60	1.73	3.13	5.20	8.00
20Hz	WEIGHTED IN RESOLUTION	a	0.31	0.62	1.25	1.35	2.45	4.06	6.24
	STANDARD WEIGHTED IN MOVEMENT	p	0.30	09'0	1.20	1.30	2.35	3.90	90.9
	STANDARD	ပ	0.20	0.40	0.80	0.87	1.57	2.60	4.00
10Hz	$\overline{}$	q	0.16	0.32	0.64	0.69	1.25(	2.08	3.20
	WEIGHTED IN WEIGHTED IN MOVEMENT RESOLUTION	ದ	0.16	0.32	0.64	0.69	1.25	2.08	3.20
FRAME RATE	_		240×180	2 320×240	320×480	480×360	640×480	009×008	7 1024×768
FRAI	MAGE		-	7	က	4	TION.	9	7
	RESOLUTION RESOLUTION					TION		·	

FIG. 18

		- 100	manna	mmv					
	STANDARD	·	09.0	1.20	2.40	2.60	4.70	7.80	12.00
30Hz	WEIGHTED IN RESOLUTION	h	0.48	0.96	1.92	2.08	3.76	6.24	9.60
	STANDARD WEIGHTED IN MOVEMENT	g	0.43	0.86	1.73	1.87	3.38	5.62	8.64
	STANDARD	ţ	0.40	0.80	1.60	1.73	3.13	5.20	8.00
20Hz	WEIGHTED IN ESOLUTION	ө	0.31	0.62	1.25	1.35	2.45	4.06	6.24
	STANDARD WEIGHTED IN MOVEMENT	ъ	0.30	09'0	1.20	1.30	2.35	3.90	00.9
	STANDARD	ပ	0.20	0.40	0.80	0.87	1.57	2.60	4.00
10Hz	WEIGHTED IN RESOLUTION	q	0.16	0.32	0.64	69.0	1.25	2.08	3.20
	WEIGHTED IN WEIGHTED IN MOVEMENT	В	0.16	0.32	0.64	69.0	1.25	2.08	3.20
FRAME RATE	IMAGE QUALITY MODE		240×180	320×240	320×480	480×360	640×480	009×008	7 1024×768
FRA	MAGE			2	က	4	3	9	7
1		RESOLUTION							

UNIT: Mbps

FIG. 19




FIG. 20




FIG. 21




FIG. 22






FIG. 23




INPUT INFORMATION	SOURCE	110 DECODER UNIT
	RESOLUTION	320×240
	YCC, COLORS	YCC420
	FRAME RATE	30P
OUTPUT INFORMATION	RESOLUTION	320×240
	XY POSITION	(920, 710)
	Z POSITION	1
TIME INFORMATION	START TIME	tDS1
	STOP TIME	-

INPUT INFORMATION	SOURCE	110 DECODER UNIT
	RESOLUTION	640×480
	YCC, COLORS	YCC420
	FRAME RATE	10P
OUTPUT INFORMATION	RESOLUTION	800×600
	XY POSITION	(440, 150)
	Z POSITION	1
TIME INFORMATION	START TIME	tDS2
	STOP TIME	_

FIG. 26








FIG. 29




FIG. 30




INPUT INFORMATION	SOURCE	110 DECODER UNIT
	RESOLUTION	320×240
	YCC, COLORS	YCC420
	FRAME RATE	30P
OUTPUT INFORMATION	RESOLUTION	320×240
	XY POSITION	(920, 710)
	Z POSITION	1
	,	
TIME INFORMATION	START TIME	tDSx
	STOP TIME	-


FIG. 32A

FIG. 32B

FIG. 32A



#### FIG. 32B



•		
INPUT INFORMATION	SOURCE	110 DECODER UNIT
	RESOLUTION	320×240
	YCC, COLORS	YCC420
	FRAME RATE	30P
OUTPUT INFORMATION	RESOLUTION	640×480
	FRAME RATE	20P
	XY POSITION	SUBSIDIARY SCREEN IMAGE DEVICE (0, 0)
	Z POSITION	1
TIME INFORMATION	START TIME	tNOW
	STOP TIME	-

INPUT INFORMATION	SOURCE	110 DECODER UNIT
	RESOLUTION	640×480
	YCC, COLORS	YCC420
	FRAME RATE	10P
OUTPUT INFORMATION	RESOLUTION	640×480
	FRAME RATE	20P
	XY POSITION	SUBSIDIARY SCREEN IMAGE DEVICE (0, 0)
	Z POSITION	1
TIME INFORMATION	START TIME	tDS3
·	STOP TIME	

FIG. 35

